#### WILLOWS UNIFIED SCHOOL DISTRICT

#### Office of the Superintendent

Date of Meeting: April 4, 2024

#### Request For Placement on Board Agenda:

AGENDA TOPIC: Accept Proposal from Park Planet for 5th / 6th Grade

Playground Equipment at Willows Intermediate

School

PRESENTER: Debbie Costello, Director of Business Services

#### **BACKGROUND**

Classrooms and other facilities are being prepared at WIS for the 5<sup>th</sup> grade transition at the start of the 2024/25 school year. An additional element of the relocation of 5<sup>th</sup> grade to WIS is the installation of an age-appropriate playground on the east side of the campus near the solar field. The District sought proposals from three providers and has received an acceptable response from Park Planet, who has also assured us they can meet our timeline to complete installation by July 31, 2024 subject to timely acceptance of this proposal.

District funds allocated for facility projects and COP proceeds will be utilized for the cost of the equipment and installation as shown on the attached proposal / quote. Site preparation including excavation and concrete curbing will also be funded with COP proceeds.

#### **RECOMMENDATION**

District Administration recommends the board accepts the proposal from Park Planet for the WIS 5<sup>th</sup> & 6<sup>th</sup> Grade Playground project.



Park Planet a Division of Park Associates, Inc. 415 Elm Street Red Bluff CA 96080

#### Quote# Q24-1993

Willows Intermediate School

Bill To:

Willows Unified School District 823 West Laurel Street Willows CA 95988 United States Quote Date: 03/29/2024 Quote Expires: 04/28/2024

Terms: Net 30dys / Shipment

**Quote Total: \$161,853.46** 

Contact Name	Contact Phone	Contact Email	Sales Rep	Sales Rep Email
Debbie Costell	+15309356600 ex	t. dcostello@willowsunified.org	Kyle Knox	kyle@parkplanet.com

Description	Vendor	Qty	Rate	Amount
PLAYGROUND EQUIPMENT				
PR-R5 Custom Round 5 Steel Play SystemSN: TBD	Playcraft Systems, Inc	1	\$82,517.00	\$82,517.00
A2-2015 Disc Swing	Playcraft Systems, Inc	1	\$7,718.00	\$7,718.00
A2-2123-AB Arch Swing Bay (2 Seat) AB	Playcraft Systems, Inc	2	\$1,883.00	\$3,766.00
<b>A2-313010</b> Belt Seat	Playcraft Systems, Inc	4	\$181.00	\$724.00
A2-2485 PC 2485 Neutron Spinner	Playcraft Systems, Inc	1	\$5,171.00	\$5,171.00
SHIPPING				
Playcraft Freight Playcraft Freight **PlayCraft shipping pallet dimensions can reach upwards of 4'W	Playcraft Systems, Inc	1	\$3,286.00	\$3,286.00

#### INSTALLATION

order.

Installation by Park Associates Inc.
CA - Lic# 959805 DIR# PW-LR-1000423561
Wage Rate: Prevailing
Installation assumes normal digging conditions with standard bobcat & auger. Bobcat & concrete truck access required.

x 8'H x 18'L and will be delivered on a 53' dry-van WITHOUT a liftgate. Offloading is the CUSTOMER'S responsibility and is NOT included in shipping costs. (2) Forklifts or (1) Forklift with extended forks and a capacity of greater than 5,000lbs will be required to offload the pallet(s). Please discuss offloading options with an Park Planet representative PRIOR to placing an



Park Planet a Division of Park Associates, Inc. 415 Elm Street Red Bluff CA 96080

#### Quote# Q24-1993

Willows Intermediate School

Description	Vendor	Qty	Rate	Amount
Install - CA Installation of Playcraft Equipment; Includes: - Receive and offload equipment	Park Associates dba PARK PLANET	1	\$51,429.00	\$51,429.00

#### **EXCLUSIONS**

#### **EXCLUSIONS**

Location/Marking of utility, plumbing and irrigation lines
Dumpster for trash and packaging materials
Moving equipment from storage site to construction site
Site preparation not specifically stated
Drainage Consideration
Inspections, material testing, or applicable permits and fees
Removal of obstacles in access route
Landscape/Hardscape repair based on access route
Cleaning of structure(s) is excluded unless otherwise stated
Site security including security fencing
Bonding or Special Insurance - fees may apply if required

By signing below, you acknowledge and agree to our Contract; Exclusions, Conditions & Payment Terms, which are to be included in, and supersede any additional contracts or subcontract agreements made separately based on this "Estimate". Unless otherwise specified above we Exclude Responsibility for: additional mobilizations due to delays or layout conflicts, conditions unforeseen and/or not disclosed at time of estimate, repairing unmarked underground utilities and pipes. Site Conditions Prior to Installation: Grades; stable, compacted, & workable (rough grade to be taken + or - one tenth of one inch), adequate access to work site provided for workmen, materials, tools & equipment. Quote assumes all labor to be completed without interruption.

Subtotal	\$154,611.00	
Tax Total (%)	\$7,242.46	
Total	\$161,853.46	



Park Planet a Division of Park Associates, Inc. Red Bluff CA 96080

#### Quote# Q24-1993

Willows Intermediate School

A PURCHASE ORDER OR SIGNED CHANGE ORDER MUST BE RECEIVED BEFORE ADDITIONAL EQUIPMENT, INSTALLATION, OR SERVICES CAN PROCEED. IF PAYING BY CREDIT CARD, A SURCHARGE WILL BE ASSESSED ON PAYMENT AMOUNT FOR 3.5% VISA/MC OR 5% AMEX.

Printed Name: Enwett Koerpo	which Title: Super intendent
Authorized Signature:	Date:
**Purchasing agent who is authorized to ent	er into binding agreement for quoted entity.

By signing this quote, I have read and agree to the quote Terms & Conditions listed below, on the following page.



Park Planet a Division of Park Associates, Inc. 415 Elm Street Red Bluff CA 96080

#### Quote# Q24-1993

Willows Intermediate School

#### **TERMS & CONDITIONS**

1. General Notes Assembly, Installation and Offloading NOT included unless otherwise noted.

Payment and Performance bonds, Builder's Risk and special insurance NOT included unless stated and quoted.

Customer responsible for quantities and model numbers. Revised quote needed if quantities revised.

2. Payment / OrderingCredit terms specific to each customer. See terms in upper right corner of Park Planet quotes...

Purchase orders or purchase contracts are needed to order. If none available, a signed Park Planet quote may be used in lieu of a formal PO. All past due accounts subject to 1 ½ % monthly finance charge. In the event legal action is required to effect collection, venue shall be Red Bluff, CA.

3. Shipping / UnloadingShipped by Common Carrier – Customer will need 2 to 4 people to unload. Liftgate NOT included unless quoted, Items will be boxed and / or stretch wrapped to pallets and customer is responsible for offloading. Delivery Drivers do NOT unload.

IMPORTANT: Customer is responsible for receiving and checking quantities and condition at time of delivery Please note any shortages or damages on delivery copy.

Notwithstanding anything to the contrary in any Contract Documents, Customer understands that estimated shipment times for materials are an estimate only. We have no control over shipment dates. We thus make no guarantee to Owner or Customer regarding the projected shipment dates for materials and shall not be liable for any loss caused by the timing of shipments.

#### 4. Engineered Wood Fiber

Customer to provide access for Engineered Wood Fiber delivery with tractor truck and 53' trailer.

Compaction of the Engineered Wood Fiber is NOT included in the installation cost, if desired, please request an updated proposal.

#### 5. General Notes for Purchased Installation

Installation does NOT include ground preparation, excavation, safety surfacing, and/or safety surfacing borders, prep work, flat work, grading, rerouting of water, electric, drainage or sprinkler lines unless otherwise noted in the proposal.

Demo of existing equipment or safety surfacing is NOT included unless otherwise stated in the proposal.

ROCK CLAUSE: Pricing is based on normal soil conditions which would allow an auger on a tractor to dig footings. If rocks/boulders interfere with the progress of the excavation, additional fees may apply.

ACCESS CLAUSE: Installation based on clear access to area. Crane service is NOT included. Customer to provide access for bobcat to work area, bobcat will be provided by the installer. Minimum access shall be 7' wide and 7' high. If adequate access is not provided additional charges may apply and repairs to landscape and irrigation may be required. Customer is responsible for any repairs to landscape if proper access is not provided.

UTILITY CLAUSE: Unless stated in writing in the quote proposal, installation does not include marking of utilities by Dig Alert or other similar entities. Customer can, however, call Dig Alert directly. Dig Alert CANNOT locate any private lines, PVC or plastic water lines. Installation does NOT include repair or relocating any underground utilities, such as drainage, irrigation, live water lines, main low voltage lines, gas, electrical, communication, or sewer etc.

Customers responsibility to provide locations of any utilities prior to commencement of work.

Customer is responsible for all landscape repairs such as, but not limited to damaged trees, bushes, lawn, curbing, sidewalks and/or asphalt paving caused by materials truck and/or 2ton bobcat needed to complete project.

#### 6. Temporary Fencing

Security guards and/or temporary fencing to prevent injuries, vandalism and/or accidental damage to install area or to the rubberized surface while it sets is NOT included unless noted on quote. If desired, the installers can put up caution tape, but Temporary Fencing is recommended. Although the fencing, if provided, is intended to provide this security, the overall security of the property is ultimately the responsibility of customer. We are not responsible for any vandalism or injuries even with the provision of the fencing.

#### 7. ADA Access

Play Equipment MUST be installed over an impact absorbing surface such as ADA compliant Engineered Wood Fiber or Rubber Surfacing. If not quoted, please call for details.

This area is NOT ADA compliant without the installation of compliant surfacing and an accessible route up to and into the playground area. Please call for details.

#### 8. Poured in Place Rubber Surfacing

Rubber Surfacing cannot be installed during extreme weather conditions and may not be installed if rain or frost is forecasted during 48-72 hr. cure time. 24 Hour Manned Security is NOT included in Park Planet quotes.

#### Shade Shelters (non DSA)

Shade Shelter installation price EXCLUDES – unless otherwise stated in this quote engineering, drawings, calculations, permits, permit submittal, site plans, special inspections, soil reports, impact fees, special assessment fees. Customer is responsible for any and all of these items if required by the City/County. PLEASE NOTE: Shade Orders are NOT released into production until permit is issued!

Shade Shelter installation price EXCLUDES concrete pad, footings, masonry columns, electrical wiring and lights unless otherwise noted.

#### 10. Shade Shelters (DSA)

Fabrication cannot begin until AFTER DSA approval by your architect

DSA in-plant Welding Inspector to be hired by the School District. Welding Inspector fee has NOT been quoted.

School District / Architect responsible for submission of plans to DSA for DSA approval

Pricing does NOT include footings, steel cages, anchor bolts, or erecting of shade shelter unless otherwise noted.

#### 11. Prevailing Wages - assumed and quoted unless specifically excluded due to private works.

Park Planet does not meet the Skilled & Trained Workforce Requirements and will not participate in same. Park Planet will not sign any PLA's for Union Work and is not signatory to any unions.

#### 12. Indemnity Provision

Notwithstanding anything to the contrary in any Contract Documents we shall have no duty to defend or indemnify Owner, Customer, or any other party we agree to defend or indemnify in any Contract Documents for that portion of any claim arising out of the comparative fault of any party we agree to defend or indemnify in any Contract Documents.

ACCESSIBLE

ELEVATED

TYPES 5/2 GROUND RAMP ACCESSIBLE 0/0

R5



FOR KIDS

AGES 5-12


## GENERAL NOTES

discrepancies between actual dimensions and dimensions submitted in the planning based on measurements that This Preliminary Site Plan is dimensions must be verified prior to the submission of a were provided in the initial purchase order. Playcraft Systems will not be held planning phase. All responsible for any phase.

strongly recommend obtaining The Minimum Use Zone for a play structure is based on the product design at the time of final drawings from the factory subject to change which may affect dimensions. Therefore before preparing the site, we proposal. Components and (available after the order is placed and included in the structure designs may be

WARNING: Accessible safety surfacing material is required equipment that has a critical appropriate for the highest height value (Fall Height) beneath and around this accessible part of this Assembly Manual).

equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.





PROJECT # DATE

# ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

TYPES 3/2 GROUND 4/2 RAMP ACCESSIBLE MAX FALL HEIGHT ACCESSIBLE CHILD CAPACITY 104 ELEVATED





FOR KIDS AGES 5-12

# **GENERAL NOTES**

This conceptual plan is based final project design. Exact site following, should be obtained, on information provided prior to construction. Detailed site evaluated, and utilized in the information, including the dimensions, topography, conditions and drainage existing utilities, soil solutions.

around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible safety surfacing material is required beneath and WARNING: Accessible part of this equipment. Handbook For Public Refer to the CPSC'S Section 4: Surfacing. Playground Safety,






65' x 43' (19.689m x 13.017m) MIN. USE ZONE




Willows Intermediate School

**SW VIEW** 












Structure PPT24 3/29/2024

STRUCTURE# PROJECT# DATE





# Willows Intermediate School **TOP VIEW**

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE


TYPES 1/0 GROUND 5/0 RAMP ACCESSIBLE MAX FALL HEIGHT ACCESSIBLE CHILD CAPACITY 8 ELEVATED

FOR KIDS AGES 5-12

# **GENERAL NOTES**

following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, This conceptual plan is based on information provided prior to construction. Detailed site information, including the conditions and drainage existing utilities, soil solutions.

safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible WARNING: Accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.






DATE

Willows Intermediate School

**SW VIEW** 





Swings PPT24 3/29/2024

STRUCTURE # PROJECT # DATE

# Willows Intermediate School **TOP VIEW**

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

TYPES GROUND RAMP ACCESSIBLE MAX FALL HEIGHT 96 ACCESSIBLE CHILD CAPACITY 10 ELEVATED


FOR KIDS AGES 5-12

# **GENERAL NOTES**

This conceptual plan is based information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site on information provided prior to construction. Detailed site dimensions, topography, existing utilities, soil conditions and drainage solutions.

safety surfacing material is required beneath and around this equipment that has a critical height value for the highest accessible (Fall Height) appropriate WARNING: Accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

#### NEUTRON SPINNER PC 2485





**Park Planet** 


MIN. USE ZONE 25' x 25' (7.615m x 7.615m)

Neutron Spinner PPT24 3/29/2024 STRUCTURE # PROJECT # DATE


Willows Intermediate School

**SW VIEW** 





Neutron Spinner PPT24 3/29/2024





#### OTES

- 1. All concrete 5" thick with #4 rebar @ 18"o.c. over 4" compacted Class II baserock over compacted subgrade.
- Control Joints at 20' O.C. each direction with expansion joint material and joint sealant. Sikeflex or equal.
- 3. 10' O.C. sawcut contraction joints. No joint sealants in sawcut joints.
- 4. All concrete broom finish perpendicular to major path of travel.
  - 5. All concrete and curbs 3,000 psi, 5.5 sack min.
- Ali spolls hauled offsite or used for fill in new play area.
   All sprinkler repairs or modifications will be performed by owner.
- Contractor will raise and adjust to new grade all existing utility or irrigation boxes that are in new concrete areas.
- All landscaping, sodding, irrigation and repair is by owner.



### County Bldg. Concrete Site Improvments Willows Intermediate School 1145 W Cedar St, Willows, CA 95988